

Reference: FOI 35711 GLO 11M

Subject: Continuous Glucose Monitoring

I can confirm that the CCG does hold the information requested; please see responses below:

QUESTION	RESPONSE
<p>1. Do you have a continuous glucose monitoring system policy if so please provide?</p>	<p>Yes, the CCG has Continuous Glucose Monitoring commissioning policies for children and adults with Type 1 diabetes respectively.</p> <p>http://www.gloucestershireccg.nhs.uk/wp-content/uploads/2018/07/Commissioning-Policy-for-Continuous-Glucose-Monitoring-Children-20171121.pdf</p> <p>http://www.gloucestershireccg.nhs.uk/wp-content/uploads/2019/04/20190411-Flash-Glucose-Monitor-guidance-April-2019-ES.docx</p>
<p>2. What is your system to administer the approval and use of continuous glucose monitoring?</p>	<p>The CCG uses NICE guidelines to approve the use of CGM. This is the basis of our Commissioning policies for children and adults.</p>
<p>3. Which systems are currently approved for use?</p>	<p>We use all CGM devices on the NHS Framework within Gloucestershire</p>

The information provided in this response is accurate as of 22 June 2020 and has been authorised for release by Marion Andrews-Evans, Executive Nurse and Quality Lead for NHS Gloucestershire CCG.